

68

Notice of Allowability	Application No.	Applicant(s)	
	10/065,744	AZAD, FARZIN HOMAYOUN	
	Examiner	Art Unit	
	Mariceli Santiago	2879	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- ☒ This communication is responsive to Amendment filed May 28, 2004.
- ☒ The allowed claim(s) is/are 1-19.
- ☒ The drawings filed on 14 November 2002 are accepted by the Examiner.
- ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - ☐ All b) ☐ Some* c) ☐ None of the:
 - ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. ____.
 - ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: ____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - ☐ hereto or 2) ☐ to Paper No./Mail Date ____.
 - ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date ____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
- ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|---|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date ____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date ____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other ____. |

DETAILED ACTION

Response to Amendment

The Amendment, filed on May 28, 2004, has been entered and acknowledged by the Examiner.

Claims 1-19 are pending in the instant application.

Allowable Subject Matter

Claims 1-19 are allowed over the prior art of record.

The following is an examiner's statement of reasons for allowance:

Regarding claim 1, the references of the Prior Art of record fails to teach or suggest the combination of the limitations as set forth in claim 1, and specifically comprising the limitation of a plurality of layers of alternating thermally conducting material and thermally non-conducting material, the layers being disposed about the arc tube to enable radially outward heat flow during the sealing of the arc tube.

Regarding claims 2-11, claims 2-11 are allowable for the reasons given in claim 1 because of their dependency status from claim 1.

Regarding claim 12, the references of the Prior Art of record fails to teach or suggest the combination of the limitations as set forth in claim 12, and specifically comprising the limitation of implementing a heat shield adapted for reducing the thermal gradient generated in the furnace, the heat shield comprising alternating layers of thermally conducting materials and thermally non-conducting materials.

Regarding claims 13-19, claims 13-19 are allowable for the reasons given in claim 12 because of their dependency status from claim 12.

Art Unit: 2879


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mariceli Santiago whose telephone number is (571) 272-2464. The examiner can normally be reached on Monday-Friday from 9:30 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimesh Patel, can be reached on (571) 272-2457. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Mariceli Santiago
Patent Examiner
Art Unit 2879


NIMESHKUMAR D. PATEL
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800